

22-2-8

30% Polyon®

Professional turf fertilizer for roughs. Regular Grade (SGN 245)

Product Features

• 30% of the nitrogen is derived from Polyon® polymer-coated urea.

Turf Benefits

 Polyon® slow-release nitrogen provides a long-lasting, precise and consistent feeding that lasts up to 10 weeks.
Polyon® gradually feeds for stronger and healthier turf.

Product Characteristics

Product Code:	R525623
Product Type:	Professional Turf Fertilizer for Roughs
Particle Size:	Regular SGN 245
Net Weight:	25 kg
Bulk Density:	1056 kg/m³ (66 lb/ft³)
Coverage:	16,170 ft ² @ 3.4 lb/1000 ft ² 12,130 ft ² @ 4.6 lb/1000 ft ²

Guaranteed Minimum	%	
Total Nitrogen 21.2% Urea Nitrogen* 0.8% Ammonium Nitrogen	(N)	22.0
Available Phosphoric Acid	(P ₂ O ₅)	2.0
Soluble Potash	(K ₂ 0)	8.0
Derived from: Polymer-coated urea, Ure ate of potash.	ea, Ammonium Phosph	nate and Muri-

6.6% Slow release nitrogen from polymer-coated urea.



For more information, contact Nutrite at:

5063 North Service Rd., Suite 200 Burlington, ON Canada L7L 5H6 Toll Free: 1-800-265-8865 www.nutrite.com

St-Michel, Qc Canada JOL 2J0 Toll Free: 1-800-363-1330

560 Chemin Rhéaume





22-2-8

30% Polyon®

Directions For Use

- Read the entire label before use.
- Apply only as directed during the growing season.
- Irrigating after application will accelerate initial green-up.
- Nutrite encourages responsible use of our products. Help do your part in protecting our rivers and lakes by following label directives and cleaning driveways and walkways after application. Do not apply near water storm drains or drainage ditches, if heavy rain is expected or frozen ground.

Application Rates

Applica Rat		Area Covered	Bags per ha (acre)	Nutr	ients su kg/100 m (lb/1000 ft	2
kg/100 m² (lb/1000 ft²)	kg/ha (lb/acre)	m² (ft²)		N	P ₂ O ₅	K ₂ O
1.7	166	1,500	6.7	0.37	0.03	0.13
(3.4)	(149)	(16,170)	(2.7)	(0.75)	(0.07)	(0.27)
2.2	222	1,130	8.9	0.49	0.04	0.18
(4.6)	(198)	(12,130)	(3.6)	(1.00)	(0.09)	(0.36)

Suggested Spreader Settings

To provide proper distribution, calibrate spreader before application.

Rotary Spreader	Ground Speed	Width of	1.7 kg/100 m²	2.2 kg/100 m ²
, .	km/h	Coverage	3.4 lb/M	4.6 lb/M
	(mph)	m (ft)		
Accupro 2000	5 (3)	3.6 (12)	l ½	J 1/2
Scotts R-8A	5 (3)	3.6 (12)	l ½	J
Lesco (Lettre / Numérique)	5 (3)	3.6 (12)	D /10	D½/11
Earthway	5 (3)	3.6 (12)	14	15
Cyclone / Spyker	5 (3)	3.6 (12)	4	4.25
Prizelawn BF-1 / CBR III	5 (3)	3.6 (12)	l ½	J
Lely Models WTR, WFR, HR, 1250 (PTO at 450 rpm)	7.5 (4.5)	12.2 (40)	5	5.75
Vicon (03 Series - Standard Spout)	7.5 (4.5)	12.2 (40)	20	24

Note: All calibration starting points given above are for wheel-to-wheel coverage (100% overlap). The spreader settings should only be used for calibration starting points as age, wear and speed of spreader will impact actual applied rate.

Precautions

 KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed. Do not inhale. Fertilizer may cause irritation of eyes, nose, throat and skin. In case of contact with eyes, flush with plenty of water; get medical attention.

Storage and Use

- Store in a clean, dry place.
- Reseal opened bag by folding top down and securing.
- Use only clean, dry spreaders.
- Do not leave unused product in spreaders.

Notice to Buyer

CONDITIONS OF SALE AND LIMITATIONS OF WARRANTY AND LIABILITY:

Buyer assumes all responsibility for safety and use not in accordance with directions. It is impossible to eliminate all risks inherently associated with the use of the product. Plant injury, infectiveness, or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond seller's control. In no case shall the seller be liable for consequential, special or indirect damages resulting from the use or handling of this product.

Polyon® is the registered trademark of Harrell's Coatings. Rev2101

Manufactured in Canada By:

Nutrite 560 Rhéaume St-Michel, Québec Canada, JOL 2J0

