

13-20-20 65% Methydure® & SOP

Professional turf fertilizer for greens and tees. Micro greens grade (SGN 100)

Product Features

- 65% of the nitrogen is derived from Methydure[®] methylene urea.
- High rate of phosphorous and potassium.
- All the potassium is in the safer sulfate form.

Turf Benefits

- Provides sufficient phosphorus to promote vigorous seedling development, root establishment and development.
- Enhances spring green-up and improves vigor of phosphorus-deficient established turf.
- Provides a high rate of potassium for improved drought tolerance, greater disease resistance and improved wear tolerance.
- Potassium uptake is more efficient when applied in combination with nitrogen.
- Methydure[®] slow release nitrogen is a trusted technology that has a gradual, consistent release and longevity that allows you to effectively feed turfgrass with fewer applications for up to 12 to 16 weeks.
- Methydure[®] decreases the risk of nitrate leaching or runoff.
- Methydure's[®] very low salt content reduces the potential for phytotoxicity.
- The micro-prill provides optimum distribution of fertilizer granules per unit area resulting in a uniform nitrogen application and release.

Product Characteristics

Product Code:	C110203
Product Type:	Greens Fertilizer
Particle Size:	SGN 100
Net Weight:	50 lb
Bulk Density:	63 lb/ft ³
Coverage:	20,000 ft ² @ 2.5 lb/M 10,000 ft ² @ 5.0 lb/M

Guaranteed Analysis		%
Total Nitrogen 0.9% Urea Nitrogen 4.2% Ammonical Nitrogen 3.7% Other Water Soluble Nitrogen* 4.2% Water Insoluble Nitrogen (WIN)*	(N)	13.0
Available Phosphate	(P ₂ O ₅)	20.0
Soluble Potash	(K ₂ 0)	20.0
Sulfur 6.9% Combined Sulfur	(S)	6.9
Derived from: Methylene urea Ammonium	nhacabata Pota	ccium culfato

Derived from: Methylene urea, Ammonium phosphate, Potassium sulfate

* 7.9% Slowly available nitrogen from methylene urea.



For more information, contact Nutrite at:

1-800-265-8865 www.nutrite.com



13-20-20

65% Methydure[®] & SOP

Directions For Use

- Read the entire label before use.
- Apply only as directed during the growing season.
- Apply only to dry foliage.
- Irrigate immediately after application, especially during periods of high temperatures (80°F or above). Watering after application will accelerate initial green-up and aid the product's penetration into the turf canopy.
- Apply after mowing to prevent particle pick-up by mowing equipment. To further reduce particle pick-up, do not collect clippings for one mowing after application.
- Nutrite encourages responsible use of our products. Help do your part in protecting our rivers and lakes by following label indications and cleaning driveways and walkways after application. Do not apply to frozen ground.

Application Rates

Applica Rat		Area Covered (ft ²)	Bags per acre		ients sup lb/1000 ft	•
(lb/1000 ft ²)	(lb/acre)			Ν	P_2O_5	K ₂ O
2.5	109	20,000	2.2	0.33	0.50	0.50
5.0	218	10,000	4.4	0.65	1.00	1.00

Suggested Spreader Settings

To provide proper distribution, calibrate spreader before application.

Rotary Spreader	Ground Speed	Width of Coverage	2.5 lb/M Rate	5.0 lb/M Rate
Accupro 2000	3 mph	8 ft	G 1/2	H 1/2
Scotts R-8A	3 mph	8 ft	н	I
Lesco (Letter / Numeric)	3 mph	8 ft	C/8	D/10
Earthway Rotary	3 mph	8 ft	10	11
Cyclone / Spyker	3 mph	8 ft	3.75	4
Prizelawn BF-1 / CBR III	3 mph	8 ft	F	Н

Note: All calibration starting points given above are for wheel-to-wheel coverage (100% overlap). The spreader settings should only be used for calibration starting points as age, wear and speed of spreader will impact actual applied rate.

Notice

- Information concerning the raw materials composing this product can be obtained by writing to the Guarantor listed below and referring to the item number found on this container.
- Information regarding the contents & levels of metals in this product is on the internet at http://www.aapfco.org/metals.htm

Precautions

• KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed. Do not inhale. Fertilizer may cause irritation of eyes, nose, throat and skin. In case of contact with eyes, flush with plenty of water; get medical attention.

Storage and Use

- Store in a clean, dry place.
- Reseal opened bag by folding top down and securing.
- Use only clean, dry spreaders.
- Do not leave unused product in spreaders.

Notice to Buyer

CONDITIONS OF SALE AND LIMITATIONS OF WARRANTY AND LIABILITY:

Buyer assumes all responsibility for safety and use not in accordance with directions. It is impossible to eliminate all risks inherently associated with the use of the product. Plant injury, infectiveness, or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond seller's control. In no case shall the seller be liable for consequential, special or indirect damages resulting from the use or handling of this product.

Methydure® are registered trademark of Ferti Technologies

Rev1411

Manufactured & Guaranteed By: Ferti Technologies 560 Rhéaume St-Michel, Québec Canada, JOL 2J0