

25-0-10

50% UMAXX® & 25% Duration®

Professional turf fertilizer for fairways. Mini fairway grade (SGN 145)

Product Features

- 50% of the nitrogen is from UMAXX® stabilized nitrogen. UMAXX® contains two inhibitors that reduce nitrogen loss to ammonia volatilization and nitrate leaching.
- 25% of the nitrogen is derived from Duration CR® polymer-coated urea.
 Duration CR® slow-release nitrogen offers durable coating technologies that provide precise, extended feeding.

Product Characteristics

Product Code:	F245861			
Product Type:	Mini Fairway Fertilizer			
Particle Size:	SGN 145			
Net Weight:	50 lb			
Bulk Density:	63 lb/ft³			
Coverage:	17,860 ft ² @ 2.8 lb/1000ft ²			
	13,890 ft ² @ 3.6 lb/1000 ft ²			

Turf Benefits

- According to research, at least 30
 percent of the nitrogen from urea can
 be lost to the atmosphere through
 volatilization within days of application.
- Urease inhibitor in combination with the nitrification inhibitor in UMAXX[®] urea significantly increases nitrogen absorption by turfgrass to provide uniform growth, deep root mass and consistent color intensity over 12 to 16 weeks.
- UMAXX[®] performs consistently regardless of soil temperature or weather.
- Duration CR® fertilizers release nitrogen slowly and continually throughout the plant's growth cycle, resulting in precise, predictable feeding that lasts for weeks. Duration CR® will take the worry out of maintaining healthy turf while giving you the exceptional performance you demand.
- Designed for use on tees and closely mowed fairways. Mini-sized particle provides excellent distribution at lower application rates.

Guaranteed Analysis	%	
Total Nitrogen 25.0% Urea Nitrogen*	(N)	25.0
Soluble Potash	(K ₂ 0)	10.0
Sulfur 3.5% Combined Sulfur	(S)	3.5

Derived from: Polymer-coated urea, Urea, Potassium sulfate.

- * 6.3% Slowly available nitrogen from polymer-coated urea.
- *12.5% Stabilized nitrogen from dicyandiamide and N-(n-butyl)-thiophosphoric triamide.





For more information, contact Nutrite at:

1-800-265-8865 www.nutrite.com



25-0-10

50% UMAXX® & 25% Duration®

Directions For Use

- Read the entire label before use.
- Apply only as directed during the growing season.
- Apply only to dry foliage.
- Irrigate immediately after application, especially during periods of high temperatures (80°F or above). Watering after application will accelerate initial green-up and aid the product's penetration into the turf canopy.
- Nutrite encourages responsible use of our products. Help do your part in protecting our rivers and lakes by following label indications and cleaning driveways and walkways after application. Do not apply to frozen ground.

Application Rates

Applica Rat		Area Covered	Bags per acre		ients sup b/1000 ft	•
(lb/1000 ft ²)	(lb/acre)	(ft²)		N	P_2O_5	K ₂ O
2.8	122	17,860	2.4	0.70	-	0.28
3.6	157	13,890	3.1	0.90	-	0.36

Suggested Spreader Settings

To provide proper distribution, calibrate spreader before application.

Rotary Spreader	Ground Speed	Width of Coverage	2.8 lb/1000ft ² Rate	3.6 lb/1000ft ² Rate
Accupro 2000	3 mph	10 ft	G	H 1/2
Scotts R-8A	3 mph	10 ft	Н	I
Lesco (Letter / Numeric)	3 mph	10 ft	D / 10	D ½ /11
Earthway Rotary	3 mph	10 ft	10	11
Cyclone / Spyker	3 mph	10 ft	3.75	4
Prizelawn BF-1 / CBR III	3 mph	10 ft	Н	I
Lely Models WTR, WFR, HR, 1250 (PTO at 450 rpm)	4.5 mph	40 ft	4	4.25
Vicon (03 Series - Standard Spout)	4.5 mph	40 ft	18	19

Note: All of calibration starting points given above are for wheel-to-wheel coverage (100% overlap). The spreader settings should only be used for calibration starting points as age, wear and speed of spreader will impact actual applied rate.

Notice

- Information concerning the raw materials composing this product can be obtained by writing to the Guarantor listed below and referring to the item number found on this container.
- Information regarding the contents & levels of metals in this product is on the internet at http://www.aapfco.org/metals.htm

Precautions

 KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed. Do not inhale. Fertilizer may cause irritation of eyes, nose, throat and skin. In case of contact with eyes, flush with plenty of water; get medical attention.

Storage and Use

- Store in a clean, dry place.
- Reseal opened bag by folding top down and securing.
- Use only clean, dry spreaders.
- Do not leave unused product in spreaders.

Notice to Buyer

CONDITIONS OF SALE AND LIMITATIONS OF WARRANTY AND LIABILITY:

Buyer assumes all responsibility for safety and use not in accordance with directions. It is impossible to eliminate all risks inherently associated with the use of the product. Plant injury, infectiveness, or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond seller's control. In no case shall the seller be liable for consequential, special or indirect damages resulting from the use or handling of this product.

Duration® is a registered trademark of Agrium.
UMAXX® is a registered trademark of Koch Fertilizer,
LLC.
REV1411

Manufactured & Guaranteed By:

Ferti Technologies 560 Rhéaume St-Michel, Québec Canada, JOL 2J0

